

# MOBILITY for INSTRUMENTS

Thousands of American electronic manufacturers and users of electronic instruments have improved the usability and increased the effectiveness of their equipment by putting it on TECHNIBILT electronic handling carts.


Technibilt instrument carriers serve both for in-plant transportation of sensitive equipment, and for mobile set-up of groups of instruments on carts, ("Mobile laboratory" and "Mobile test and maintenance station").

Salesmen of electronic instruments use Technibilt fold-away carts for the demonstration of equipment, carrying cart and equipment in their automobiles, setting everything up BEFORE they visit their customers.




**TECHNIBILT CORPORATION**

GLENDAL, CALIF. 91201 (213) 245-7521





**TECHNIBILT**  
ELECTRONIC INSTRUMENT CARRIER  
MODEL MC-1



**ELECTRONIC INSTRUMENT CARRIER  
MODEL MC-1**

*this carrier introduces a new concept of mobility for electronic instruments*

Technibilt engineers researched the requirements of a large number of electronic firms, and established the ideal combination of wheel equipment, load capacity, maneuverability, and general dimensions for a carrier — tailor-made for instrument handling.

Model MC-1 does many jobs, — all jobs!

- It provides safe transportation of sensitive equipment.
- It permits ideal positioning of several instruments for testing set-ups.
- It is a mobile instrument table for safe and neat storage. It eliminates a great deal of hazardous picking up and setting down of instruments.
- It efficiently handles parts, cartons, supplies around a shipping department, or stock room.

**FEATURES AND SPECIFICATIONS**

Arc-welded 1-inch tubing, steel.

Technibilt Donut Wheels, 5 x 1.5 in., with machined ballbearings, flush type greaser axles, Nylock nuts.

All four casters swivel.

Capacity 500 lbs.

Finish: Grey enamel paint.

Shipping Weight: 65 lbs.

Top Deck: 22 x 36", 34" off floor.

Bottom Deck: 21 x 30½", 8" off floor.

Outside Dimensions, including bumper and handle 24 x 41½".

Decks ¾" plywood, covered with medium grey, patterned, Formica (or equal), or black Koroseal, a ribbed, rubber-like material. SPECIFY desired deck cover for each deck, top and bottom. There is no extra charge for Formica on both or one deck. Rubber bumper around upper deck. Handle on one end of upper deck.

**PRICE \$69 (standard)**

f.o.b. Glendale, Calif.

Optional Accessory: Drawer, installed under top deck, 14½" wide, 19¾" deep, 5" high. Completely encased. Ballbearing rollers, automatic stop, tray, padlock attachment (lock not included). Weight 22 lbs. Price, \$20.90

**TECHNIBILT CORPORATION**

905 Air Way, Glendale 1, California



## TECHNIBILT

ORIGINAL OSCILLOSCOPE CARRIER  
OS-CART, MODEL OC-1-B



*OS-Cart, Model OC-1-B with adjustable scope tray*

Improved to perfection —

Working convenience as never before: Tilts to 45 degree and 22 degree angles. In production run operation, or in model shop, pre-production and pilot runs OS-Cart puts your scope right where you want it for easy reading, — and at the right angle too!

Now you can fully concentrate on the job at hand, the scope is at your fingertip.

In a short time hundreds of this wonderfully convenient scope carrier have been put to work in laboratories all over the country.

**NEW!** Larger wheels, wheelbase widened for extra stability.

### FEATURES AND SPECIFICATIONS

Arc-welded  $\frac{7}{8}$  inch steel tubing.

5 x 1 inch wheels, with ballbearings.

Nylock nuts, thread guards.

All four casters swivel.

Chrome plated finish.

Dimensions: Handle Height 37", Width OD 19", Length 29 $\frac{1}{4}$ ".

Scope tray: Presswood, 14x25". Two tray positions: 22 and 45 degrees. Bottom wire deck 13 x 21 $\frac{1}{2}$ ". Wheel base extended to 22 $\frac{1}{4}$ ". Cart equipped with line cleat, and rubber bumpers for protection of rear of scope. Capacity 350 lbs.

Shipping Weight, packed in carton 43 lbs. Carton 13 $\frac{1}{4}$  x 19 $\frac{5}{8}$  x 48" OD, 7.2 cu. ft.

**PRICE ONLY \$38.80**

f.o.b. Glendale, Calif.

Optional Feature: Cabinet for parking of Plug-in Amplifiers for various makes of scopes. Drawer for tools, books, etc. (12 x 14 x 3"). Cabinet is removable. Specify what model scope you use. Price, Scope Cabinet \$38.50 (18 lbs.)

**TECHNIBILT CORPORATION**

905 Air Way, Glendale 1, California



**TECHNIBILT**  
**DE LUXE SCOPE CARRIER**  
**MODEL OC-2**  
**WITH FORMICA SCOPE TRAY**




*Model OC-2, with Formica Scope Tray  
 Permits use of scope in horizontal position,  
 and at the ideal 22 degree angle. Scope need not be removed from tray for tilting.*

This scope carrier is also a general instrument cart, mobile demonstrator table, mobile test stand, and may be used for innumerable other purposes around shops and labs. Mobility unlimited. Balanced safety. Excellent working convenience.

Here is the flexibility you always wanted — easily accomplished. Now your testing equipment moves, and turns, and tilts for easiest reading.

Engineers agree that Technibilt Oscilloscope Carts increase productivity in production run operations, as well as in those pre-production and pilot runs where flexibility of equipment arrangement is so highly desirable.

A combination of the various Technibilt carts for instrument handling introduces an entire superior system of mobility and flexibility.



**FEATURES AND SPECIFICATIONS**

Arc-Welded  $\frac{7}{8}$  inch steel tubing.

Technibilt Donut Wheels, 5 x 1.5 in., with machined ballbearings, flush type greaser axles, Nylock nuts.

All four casters swivel.

Chrome plated finish.

Tray top medium grey, patterned Formica, or equal, with grey plastic molding.

Dimensions: Handle height: 37", Width OD: 19 $\frac{1}{4}$ ", Length: 33". Tray Height, level position: 30", front 39" above floor in tilted position. Tray size: 16 x 24". Bottom Tray: 13 x 21 $\frac{1}{2}$ ". Wheel base: 22 $\frac{1}{4}$ ". Capacity 500 lbs.

Shipping Weight, packed in carton, 50 lbs. Carton: 13 $\frac{1}{4}$  x 19 $\frac{3}{8}$  x 48" OD. 7.2 cu. ft.

**PRICE ONLY \$54.50**

f.o.b. Glendale, Calif.


**WITH WIRE BOTTOM DECK \$49.60**

Optional Feature: Cabinet for parking of Plug-in Amplifiers for various makes of scopes. Drawer for tools, books, etc. (12 x 14 x 3"). Cabinet is removable. Please specify what model scope you use. Price, Scope Cabinet \$38.50 (18 lbs.)



# MOBILITY for INSTRUMENTS

MODELS MEC-2, MEC-3, MEC-4 MULTIDECK INSTRUMENT CARRIERS, with two, three or four 24x30 inch (5 sq. ft.) vinyl coated, dielectric steel decks. One-inch tubular steel frame, bright chrome plated. Width: 27 1/4 inches. Length: 31 1/4 inches. 5x1.5 inch heavy duty ballbearing wheels in strong swivel casters, providing 500 lbs. load capacity. Standard clearance between decks 18 inches, over bottom deck at 7 5/8 inches above floor. Center deck(s) on MEC-3 and MEC-4 adjustable 3 inches up and down (pre-drilled holes provided). Shipped ready for easy assembly in 34x30x5 1/8 inch carton—3.022 cu. ft. Only tool required for assembly 7/16 inch wrench. MEC-3 and 4 have chrome plated handle on one end.



PRICES (f.o.b. factory)


MEC-2 \$48.50 MEC-3 \$69.85 MEC-4 \$84.85

Stationary casters on handle end no extra.

Foot brakes on stationary casters \$3 both wheels.

## ACCESSORY:

OUTLET BOX, 13" x 2 1/4" x 1 1/2", with six outlets, on-off switch, "on" indicator light, fuse, 15 amp., 115 V., incl. 10 ft. heavy duty cord and installation brackets, \$10.50 ea.



**TECHNIBILT CORPORATION**

905 Air Way, Glendale 1, California



## TECHNIBILT MULTI PURPOSE CART

MODEL DD-8  
MODEL DD-8T



*Model DD-8 (Basket Carrier)*




*Model DD-8T (Table Cart)*

This cart has hundreds of uses in plants, laboratories, offices, stores, institutions.

The large basket on Model DD-8 is removable. This provides a whole system of flexibility in light stocking, parts assembly and delivery, office mail distribution, production line feeding. Anything that can be stocked, moved and distributed in baskets is handled conveniently in this easy to push carrier.

Contents of baskets are visible from all sides, an advantage over cartons and tote boxes.

Model DD-8T fills the bill wherever a mobile table needing little floor space would add to the flexibility of your oper-



**FOLDS AWAY WHEN NOT IN USE!**  
*Technibilt's Multi-Purpose Cart  
DD-8T, conveniently folded for  
storage or shipping.*

ations. The table top is large enough to carry small equipment and instruments, such as digital computers, Polaroid camera scopes, signal generators, office machines, projectors, and many others. Additional loads ride on the lower deck.

### FEATURES AND SPECIFICATIONS

Arc welded  $\frac{7}{8}$  inch steel tubing.

Four-inch ballbearing wheels, all swivel.

Chrome plated finish.

Removable Top Basket #55, 16 x 24 x 10" deep, 3840 cu. in., on Model DD-8. (Additional #55 baskets for rotation \$4.40 ea.)

Formica or presswood table top 19 $\frac{1}{4}$  x 24" on Model DD-8TF and DD-8TW, 28 $\frac{1}{2}$ " above floor.

Lower Deck 13 x 21 $\frac{1}{2}$ ", 7" off floor.

General Dimensions: Handle Height 36 in.

Width: 19 $\frac{1}{4}$ "

New widened Wheelbase: 22 $\frac{1}{4}$  in.

Capacity: 350 lbs.

Shipping Weight: DD-8 28 lbs.  
DD-8T 35 lbs.

Specify rigid rear wheels if desired.

### PRICES FOR MODELS DD-8T and DD-8

now equipped with Formica table top Model DD-8TF \$29.60  
with Sandalwood (presswood) table top Model DD-8TW \$28.40  
For elevating bracket to support table top at angle, as on Model OC-2, add \$2.60 to above prices.

Model DD-8, Basket Carrier, \$27.40 (1 basket included)  
(All Prices F.O.B. Factory)